



HARDY

ALNWICK | ENGLAND

2025-26

DESIGNED & DEVELOPED BY HARDY





Rods

| | |
|---------------------|----|
| Marksman | 5 |
| Marksman Z | 6 |
| Ultralite X | 8 |
| Ultralite DH | 9 |
| Ultralite SR | 10 |
| Ultralite LL | 11 |
| Aydon Single Handed | 13 |
| Aydon Switch | 14 |
| Aydon Double Handed | 14 |
| Aydon Travel | 14 |

Reels

| | |
|----------------------------|----|
| 1912 Perfect | 17 |
| 1921 Wide Spool Perfect | 18 |
| Cascapedia | 19 |
| 1939 Heritage Bougé | 20 |
| Sovereign | 21 |
| Hardy Bros Lightweight | 22 |
| Marquis LWT | 23 |
| Fortuna Regent | 24 |
| Zane Carbon | 25 |
| Averon | 26 |
| Averon Euro Nymph | 27 |
| Resonate | 28 |
| <i>New</i> Averon Cassette | 29 |
| Spare Spools | 30 |

Accessories

| | |
|------------|----|
| Caps | 32 |
| Reel Cases | 33 |





HARDY

Mark Simon

9' #5

FIT

TO HALL THE ASSOCIATE
MANUFACTURERS OF
HARDY BROTHERS, ALABAMA

HARDY'S



Marksman

In the fluid environment that we ply our craft, the demands are ever changing. Few days truly hit the mark to be deemed "perfect" although it can be argued that any day spent by water is perfect enough. When we fish, the demands we place on little more than a couple of ounces of carbon fibre are considerable, we expect featherlight touch and feel in close, backbone enough to drive a long, fast and accurate loop but with the durability to fight and land that fish of the day, season or even a lifetime. The new Hardy Marksman has been designed, developed and tested with this incredibly varied challenge in mind. A strong, yet considerably lighter blank has been matched with an all new reel seat that further accentuates the weight reduction and promotes an almost weightless in hand feel. Fitted with titanium guides and dressed in a subtle non-flash golden olive, its understated looks hide a capability that needs to be experienced. Designed and developed in Alnwick England during Hardy's 150th year our new flagship rod "The Marksman" truly hits the mark to be deemed "perfect".



| Product Code | SAP | Length | Rating | Handle | Weight (oz) |
|--------------|---------|--------|--------|--------|-------------|
| HROMAR803 | 1590682 | 8' | #3 | RHW | 2.2 |
| HROMAR804 | 1590683 | 8' | #4 | RHW | 2.3 |
| HROMAR864 | 1590684 | 8' 6" | #4 | RHW | 2.4 |
| HROMAR865 | 1590685 | 8' 6" | #5 | RHW | 2.6 |
| HROMAR904 | 1590686 | 9' | #4 | RHW | 2.6 |
| HROMAR905 | 1590687 | 9' | #5 | RHW | 2.7 |
| HROMAR906 | 1590688 | 9' | #6 | RHW | 2.8 |
| HROMAR907 | 1590689 | 9' | #7 | FW+EH | 3.1 |
| HROMAR966 | 1590690 | 9' 6" | #6 | FW+EH | 3.1 |
| HROMAR967 | 1590691 | 9' 6" | #7 | FW+EH | 3.4 |
| HROMAR968 | 1590692 | 9' 6" | #8 | FW+EH | 3.4 |
| HROMAR1004 | 1590693 | 10' | #4 | RHW | 2.8 |
| HROMAR1005 | 1590694 | 10' | #5 | RHW | 2.9 |
| HROMAR1006 | 1590695 | 10' | #6 | FW+EH | 3.4 |
| HROMAR1007 | 1590696 | 10' | #7 | FW+EH | 3.4 |
| HROMAR1008 | 1590697 | 10' | #8 | FW+EH | 3.6 |

- SINTRIX® FLT applied to an updated mandrel design
- Significantly reduced overall weight
- Ceramic lined titanium framed stripper guides
- Titanium recoil intermediate snake guides
- Light weight & secure custom designed reel seat
- Aluminium section stoppers
- Supplied in Hardy aluminium rod tube
- Rod of choice for the widest range of conditions



Aluminum rod tube





Marksman Z

There are few environments that can offer the challenge of the salt. Smooth early morning runs through thick air across nervous liquid silver flats can quickly yield to cast killing winds and seemingly impossible shots from an unstable casting platform. However when the wind drops, the stars align and you slide that fly into the bulls eye there is no match for the feeling of expectation turning instantly into adrenaline as a hundred pounds of chrome goes airborne or six pounds of silver leaves the flat like its been fired from a gun. The Hardy Marksman Z with its unrivalled blend of feel, power, recovery and down right durability has been designed in conjunction with some of the finest guides, anglers and legends in the saltwater world. From Gold Cups to grand slams and a thousand different challenges in between, the Hardy Marksman Z is the right rod for that right moment in the Salt.



| | Product Code | SAP | Length | Rating | Handle | Weight (oz) |
|------------|--------------|---------|--------|--------|--------|-------------|
| 4-PC | HROMAZ906 | 1590706 | 9' | #6 | FW+EH | 3.7 |
| | HROMAZ907 | 1590707 | 9' | #7 | FW+EH | 3.7 |
| | HROMAZ908 | 1590708 | 9' | #8 | FW+EH | 4.0 |
| | HROMAZ909 | 1590709 | 9' | #9 | FW+EH | 4.1 |
| | HROMAZ9010 | 1590710 | 9' | #10 | FW+EH | 4.2 |
| | HROMAZ9011 | 1590711 | 9' | #11 | FW+EH | 4.7 |
| HROMAZ9012 | 1590712 | 9' | #12 | FW+EH | 4.8 | |
| 1-PC | HROMAZ8108 | 1590713 | 8'10" | #8 | FW+EH | 3.7 |
| | HROMAZ8109 | 1590714 | 8'10" | #9 | FW+EH | 4.0 |
| | HROMAZ81010 | 1590715 | 8'10" | #10 | FW+EH | 4.0 |
| | HROMAZ81011 | 1590716 | 8'10" | #11 | FW+EH | 4.4 |
| | HROMAZ81012 | 1590717 | 8'10" | #12 | FW+EH | 4.7 |

- SINTRIX® FLT applied to an updated mandrel design
- Reduced overall weight
- Ceramic lined titanium framed stripper guides
- Titanium recoil intermediate snake guides
- Durable custom designed reel seat
- Aluminium section stoppers
- Supplied in Hardy aluminium rod tube (4 section models only)
- Rod of choice for high pressure saltwater situations

Marksman Z



Aluminum rod tube





Ultralite X


There are adverse conditions that place a different set of demands on our equipment — extreme weather, extreme distance, or even extreme flies. The Ultralite X is the answer to those demands and is significantly faster than our standard Ultralite. The high recovery rates drive tight loops with even the largest flies. The more powerful butt section is built for lifting deep sunk lines, pressuring large fish away from snags, and handling density compensated fly lines with aggressive tapers.

- SINTRIX® NSX combined with a greater percentage of high modulus carbon fiber
- Rapid taper blank design maximises material performance
- Ceramic lined titanium recoil guides
- Rod of choice for high performance situations

| Product Code | SAP | Length | Rating | Handle | Weight (oz) |
|--------------|---------|--------|--------|--------|-------------|
| HROULX905 | 1521745 | 9' | #5 | RHW | 3.0 |
| HROULX906 | 1521746 | 9' | #6 | RHW | 3.0 |
| HROULX907 | 1521747 | 9' | #7 | FW+EH | 3.4 |
| HROULX908 | 1521748 | 9' | #8 | FW+EH | 3.4 |
| HROULX967 | 1521749 | 9' 6" | #7 | FW+EH | 3.8 |
| HROULX107 | 1521750 | 10' | #7 | FW+EH | 3.8 |
| HROULX108 | 1521751 | 10' | #8 | FW+EH | 4.0 |



Aluminum rod tube



Ultralite X



Ultralite DH



Ultralite DH

The old saying, "two hands are better than one" could have been invented for the Salmon and Steelhead angler, but there's never been more ways to catch fish with a two-handed set-up than today. All anglers, including Trout and saltwater, are discovering the inbuilt advantages of the "long rod". The ability to cast heavy, wind resistant flies for great distances with ease, and more importantly, control them when they reach the target, has opened up new possibilities. The new, comprehensive range of Ultralite two-handed rods bring increased levels of feel, in-hand balance, and all-important fish fighting power when you need it most.

| | Product Code | SAP | Length | Rating | Handle | Weight (oz) |
|----------------|----------------|---------|--------|--------|--------|-------------|
| 4-PC | HROULTTS10.6 | 1542484 | 10' 6" | #3 | TPSS | 4.5 |
| | HROULTTS11.3 | 1542485 | 11' 3" | #3 | TPSS | 4.8 |
| | HROULTTS11.4 | 1542486 | 11' 4" | #4 | TPSS | 4.9 |
| | HROULTTS11.6 | 1542487 | 11' 6" | #5 | TPSS | 4.9 |
| | HROULTSP11.6FT | 1542488 | 11' 6" | #6/7 | TPSF | 5.4 |
| | HROULTSP12.6FT | 1542489 | 12' 6" | #6/7 | TPSF | 6 |
| | HROULTSP12.6FT | 1542490 | 12' 6" | #7/8 | TPSF | 6.1 |
| | HROULTSP13FT | 1542491 | 13' | #6/7 | TPSF | 6.2 |
| | HROULTSP13.6FT | 1542492 | 13' 6" | #8/9 | TPSF | 7.7 |
| | HROULTSP14.6FT | 1542493 | 14' 6" | #9/10 | TPSF | 8.5 |
| 6-PC | HROULTSP15.1FT | 1542494 | 15' 1" | #10/11 | TPSF | 9.8 |
| | HROULTSP16FT | 1542495 | 16' | #11/12 | TPSF | 10.2 |
| | HROULTSP12.6FT | 1542496 | 12' 6" | #5/6 | TPSF | 6.1 |
| | HROULTSP13.6FT | 1542497 | 13' 6" | #6/7 | TPSF | 6.9 |
| | HROULTSP13.6FT | 1542498 | 13' 6" | #8/9 | TPSF | 7.8 |
| | HROULTSP14.6FT | 1542499 | 14' 6" | #9/10 | TPSF | 9.1 |
| HROULTSP15.6FT | 1542500 | 15' 6" | #10/11 | TPSF | 10.3 | |

- SINTRIX® NSX construction
- Application specific action design
- Ceramic lined titanium recoil guides
- Aluminium and carbon custom reel seat
- Supplied in a hard travel tube



Hard travel tube



Ultralite SR

Small rivers often require purpose built rods to fish them to their true potential. The best small river rods are compact to be manageable in tight quarters, and delicate enough to make casts with subtle presentation. The Hardy Ultralite SR series of rods are perfect for those small rivers- offering a crisp rod that protects light tippets and gives you a forgiving, easy loading action for the accuracy and control you need in a small river or stream. The range includes 6-piece packing rods for hiking great distances off the trail.



| | Product Code | SAP | Length | Rating | Handle | Weight (oz) |
|------|--------------|---------|--------|--------|--------|-------------|
| 4-PC | HROR664 | 1543737 | 6' 6" | #4 | PSG | 1.4 |
| | HROR702 | 1543749 | 7' | #2 | PSG | 1.5 |
| | HROR703 | 1543750 | 7' | #3 | PSG | 1.6 |
| | HROR705 | 1543738 | 7' | #5 | PSG | 1.7 |
| | HROR763 | 1543751 | 7' 6" | #3 | PSG | 1.7 |
| | HROR803 | 1543752 | 8' | #3 | PSG | 1.7 |
| 6-PC | HROR764 | 1543753 | 7' 6" | #4 | PSG | 1.8 |
| | HROR884 | 1543754 | 8' 8" | #4 | PSG | 1.9 |
| | HROR905 | 1543755 | 9' | #5 | PSG | 2.2 |

- SINTRIX® NSX construction
- Optimum blend of finesse and power for small stream techniques
- Ceramic lined titanium recoil guides
- Lightweight reel seat
- Supplied in a hard travel tube

Ultralite SR



Aluminum rod tube



Hard travel tube



Ultralite LL

Ultralite LL


Never before have light line and river specific anglers had so many advanced techniques to choose from. The surge in popularity around advanced European style and competition style techniques has to some degree left rod design behind. Not any more.

These technique specific rods have been designed, developed, and tested by some of the leading exponents of modern light line methods to represent the most refined and usable actions on the market for these demanding styles of fishing.



| Product Code | SAP | Length | Rating | Handle | Weight (oz) |
|--------------|---------|--------|--------|--------|-------------|
| HROULLL923 | 1521752 | 9' 2" | #3 | RHW | 2.8 |
| HROULLL924 | 1521753 | 9' 2" | #4 | RHW | 2.9 |
| HROULLL993 | 1521754 | 9' 9" | #3 | RHW | 3.0 |
| HROULLL994 | 1521755 | 9' 9" | #4 | RHW | 3.1 |
| HROULLL122 | 1521756 | 10' 2" | #2 | RHW+EH | 3.2 |
| HROULLL1802 | 1521757 | 10' 8" | #0/2 | RHW+EH | 3.5 |
| HROULLL183 | 1521758 | 10' 8" | #3 | RHW+EH | 3.5 |
| HROULLL112 | 1521759 | 11' 2" | #2 | RHW+EH | 3.6 |

- SINTRIX® NSX combined with a greater percentage of high and high intermediate modulus carbon fiber
- Lightweight blank design maximises line feel and sensitivity
- Down locking reel seats on key sizes for balance improvement
- Ceramic lined titanium recoil guides
- Rod of choice for highly technical situations



Aluminum rod tube

Aydon

A perfect blend of balance, recovery, and power, the user-friendly performance of the Aydon series is the optimum mix between casting performance and true “fishability”.

Carefully designed and manufactured with SINTRIX material and then meticulously tested, the Aydon series offers models to cover everything from small stream trout to big river Spey casting applications. These lightweight rods have been refined by countless hours of on-water development to ensure that each model is perfectly tailored to meet your expectations. Fitted with top quality hardware and a purposefully designed reel seat, the Aydon is also supplied in a convenient travel tube and high-quality rod bag.



Aydon



- SINTRIX multi modulus carbon fiber blank
- Optimum blend of performance and true "Fishability"
- Hard chrome single foot guides
- Ceramic lined stripping guides
- Custom designed lightweight reel seat
- Keyed reel seat slide band for ease of use
- Selected wood or aluminium spacers (model dependent)
- Supplied in a practical travel tube



AYDON Single Handed

| Product Code | SAP | Length | Rating | Handle | Weight (oz) |
|--------------|---------|--------|--------|--------|-------------|
| HROAYD703 | 1570681 | 7' | #3 | RHW | 2.1 |
| HROAYD705 | 1570682 | 7' | #5 | RHW | 2.2 |
| HROAYD804 | 1570683 | 8' | #4 | RHW | 2.4 |
| HROAYD864 | 1570684 | 8' 6" | #4 | RHW | 2.6 |
| HROAYD865 | 1570685 | 8' 6" | #5 | RHW | 2.8 |
| HROAYD904 | 1570686 | 9' | #4 | RHW | 2.8 |
| HROAYD905 | 1570687 | 9' | #5 | RHW | 2.9 |
| HROAYD906 | 1570688 | 9' | #6 | RHW | 3.0 |
| HROAYD907 | 1570689 | 9' | #7 | FW+EH | 3.5 |
| HROAYD908 | 1570690 | 9' | #8 | FW+EH | 3.7 |
| HROAYD966 | 1570691 | 9' 6" | #6 | FW+EH | 3.7 |
| HROAYD967 | 1570692 | 9' 6" | #7 | FW+EH | 3.7 |
| HROAYD104 | 1570693 | 10' | #4 | RHW | 3.2 |
| HROAYD105 | 1570694 | 10' | #5 | RHW | 3.2 |
| HROAYD106 | 1570695 | 10' | #6 | FW+EH | 3.7 |
| HROAYD107 | 1570696 | 10' | #7 | FW+EH | 3.8 |
| HROAYD108 | 1570697 | 10' | #8 | FW+EH | 4.0 |



Hard partitioned rod tube for all Aydon series rods



Aydon Switch

The Aydon Switch rod range features a perfect blend of balance, recovery, and power in a versatile light weight two hand configuration that excels with both anchored and overhead casts.

| Product Code | SAP | Length | Rating | Handle | Weight (oz) |
|--------------|---------|--------|--------|--------|-------------|
| HROAYD1156 | 1570698 | 11' | #5/6 | Switch | 4.7 |
| HROAYD1167 | 1570699 | 11' | #6/7 | Switch | 4.8 |
| HROAYD1178 | 1570700 | 11' | #7/8 | Switch | 4.9 |



Aydon Double Handed

When it comes to big fish in big rivers, sometimes you need a little more reach. The Aydon Double Handed rods are carefully designed and manufactured with SINTRIX to create a deep loading blank capable of delivering long casts with heavy flies to reach distant targets.


| Product Code | SAP | Length | Rating | Handle | Weight (oz) |
|--------------|---------|--------|--------|--------|-------------|
| HROAYD11978 | 1570701 | 11' 9" | #7/8 | TPSF | 6.7 |
| HROAYD12989 | 1570702 | 12' 9" | #8/9 | TPSF | 7.5 |
| HROAYD13991 | 1570703 | 13' 9" | #9/10 | TPSF | 8.5 |
| HROAYD14911 | 1570704 | 14' 9" | #10/11 | TPSF | 9.0 |



Aydon Travel

The Aydon Travel rods offer all the features found within the Aydon series, but come in a convenient 6 piece configuration perfect for travel. Offered in a wide range of sizes everything from small stream trout to big river Spey casting applications.

| Product Code | SAP | Length | Rating | Handle | Weight (oz) |
|--------------|---------|--------|--------|--------|-------------|
| HROAYD804T | 1570705 | 8' | #4 | RHW | 2.5 |
| HROAYD905T | 1570706 | 9' | #5 | RHW | 2.7 |
| HROAYD906T | 1570707 | 9' | #6 | RHW | 2.9 |
| HROAYD908T | 1570708 | 9' | #8 | FW+EH | 3.5 |
| HROAYD967T | 1570709 | 9' 6" | #7 | FW+EH | 3.6 |
| HROAYD1461T | 1570710 | 14' 6" | #10 | TPSF | 9.6 |



Aydon







1912 Perfect



1912 Perfect

Bringing together some of the most iconic features from past Hardy Perfect reels, the '1912 Perfect' incorporates the famous 1912 Perfect check mechanism, Polished Red Agate Line Guard, and a classic pre 1920's narrow spool design.

- Made by Hardy Bros master craftsmen in Alnwick, England
- 1912 Perfect check mechanism
- Red agate line guard
- Classic narrow spool design
- Engineered from bar stock aluminium with naval brass 1pc spindle
- Deep anodized gunmetal finish
- Available in Left and Right hand models
- Supplied in a soft leather, sheepskin lined Hardy reel pouch.

1912 PERFECT

| Product Code | SAP | Model | Line Size | Wind | Capacity (yds) | Weight (oz) | Diameter (in) |
|-----------------|---------|------------|-----------|------|----------------|-------------|---------------|
| HREPER1912RH050 | 1579889 | 2 7/8 inch | 3/4 | RHW | WF4+60 | 3.6 | 2.9 |
| HREPER1912LH010 | 1579890 | 2 7/8 inch | 3/4 | LHW | WF4+60 | 3.6 | 2.9 |
| HREPER1912RH015 | 1579891 | 3 1/8 inch | 4/5 | RHW | WF5+75 | 3.8 | 3.2 |
| HREPER1912LH020 | 1579892 | 3 1/8 inch | 4/5 | LHW | WF5+75 | 3.8 | 3.2 |

Capacity with 20lb Dacron unless * then 30lb Dacron





1921 Wide Spool Perfect®

For over 135 years, Hardy has been crafting and refining the 'Perfect' reel. Never content, our engineers are consistently striving for enhancements in search of true perfection. The Hardy 1921 Wide Spool Perfect offers a unique combination of some of the finest and most coveted features from past and present Hardy 'Perfect' reels. This Perfect features the famous 1921 check mechanism, a polished brass/bright nickel-plated revolving line guard, and a two tone hard anodised finish based on the classic looks of the 1930's style.

- Made by Hardy Bros master craftsmen in Alnwick, England
- 1921 Perfect check mechanism
- Revolving line guard
- Classic wide spool design
- Machined from bar stock aluminium with navel brass 1pc spindle
- Deep anodized two tone finish
- Available in Left and Right hand wind models
- Supplied in a soft leather, sheepskin lined Hardy reel pouch

1921 Wide Spool Perfect

| Product Code | SAP | Model | Line Size | Capacity (yds) | Weight (oz) | Diameter (in) | Handle |
|-----------------|---------|------------|-------------|----------------|-------------|---------------|--------|
| HREPER1921RH010 | 1613829 | 3 inch | 4 / 5 / 6 | WF5+65 | 6.0 | 3 | Right |
| HREPER1921LH020 | 1613830 | 3 inch | 4 / 5 / 6 | WF5+65 | 6.0 | 3 | Left |
| HREPER1921RH030 | 1613831 | 3 1/4 inch | 5 / 6 / 7 | WF7+95 | 6.6 | 3 1/4 | Right |
| HREPER1921LH040 | 1613832 | 3 1/4 inch | 5 / 6 / 7 | WF7+95 | 6.6 | 3 1/4 | Left |
| HREPER1921RH050 | 1613833 | 3 1/2 inch | 6 / 7 / 8 | WF8+135 | 7.1 | 3 1/2 | Right |
| HREPER1921LH060 | 1613834 | 3 1/2 inch | 6 / 7 / 8 | WF8+135 | 7.1 | 3 1/2 | Left |
| HREPER1921RH070 | 1613835 | 3 3/4 inch | 7 / 8 / 9 | WF9+220 * | 11.4 | 3 3/4 | Right |
| HREPER1921LH080 | 1613836 | 3 3/4 inch | 7 / 8 / 9 | WF9+220 * | 11.4 | 3 3/4 | Left |
| HREPER1921RH090 | 1613837 | 4 inch | 9 / 10 / 11 | WF10+250 * | 12.1 | 4 | Right |
| HREPER1921LH100 | 1613838 | 4 inch | 9 / 10 / 11 | WF10+250 * | 12.1 | 4 | Left |

Capacity with 20lb Dacron unless * then 30lb Dacron





Cascapedia



Cascapedia

Available in a full 4 size range covering every fresh water application from Trout to two handed Spey. The Cascapedia reel is a stunning addition to the Hardy 'Made in England' reel series. The two smaller sizes feature a classic click check system whilst the larger models feature a fully functioning disc drag with an inbuilt audible clicker to give the classic Cascapedia sound.

- Made in Alnwick, England
- Full bar stock construction
- 'S' shaped handle
- Classic click check ratchet sound

| Product Code | SAP | Model | Line Size | Capacity (yds) | Weight (oz) | Diameter (in) |
|--------------|---------|-------|-----------|----------------|-------------|---------------|
| HRECASB010 | 1420674 | 4/5 | 4/5 | WF5+75 | 6.3 | 3.0 |
| HRECASB020 | 1420675 | 6/7 | 6/7 | WF7+85 | 8.4 | 3.5 |
| HRECASB030 | 1420676 | 8/9 | 8/9 | WF9+190 | 12.7 | 3.75 |
| HRECASB040 | 1420677 | 10/11 | 10/11 | WF11+290 | 14 | 4.0 |

Capacity with 30lb Dacron





1939 Bouglé Heritage

The original Bouglé was last produced in 1939, and many collectors believe the reel reached both its functional and aesthetic apex, even though few reels were produced that year. Now, the 1939 Bouglé Heritage Reel Series pays homage to those rare originals. These reels feature the time tested Mark II check mechanism and are finished with a dark gun metal anodization, reminiscent of the original.

Now available in an extended size range, perfect for any application.

- Classic 1939 style Bouglé
- Stunning Gun metal colour scheme
- Sweet sounding, wide ranging check system
- Easily changed from left to right hand wind
- Supplied with Hardy Bros. soft leather sheepskin-lined reel pouch

1939 Heritage Bouglé

| Product Code | SAP | Model | Line Size | Capacity (yds) | Weight (oz) | Diameter (in) |
|--------------|---------|--|-----------|----------------|-------------|---------------|
| HREGMB005 | 1573688 | 2 ¹ / ₁₆ inch | 1/2/3 | DT2+25 | 3.2 | 2.81 |
| HREGMB010 | 1521684 | 3 inch | 2/3/4 | DT2+70 | 3.6 | 3.0 |
| HREGMB020 | 1521685 | 3 ¹ / ₄ inch | 3/4/5 | DT4+100 | 4.1 | 3.25 |
| HREGMB025 | 1573689 | 3 ¹ / ₂ inch | 5/6/7 | DT6+70 | 4.7 | 3.5 |
| HREGMB030 | 1521686 | Olympic 3 ³ / ₄ inch | 7/8/9 | DT9+150 | 4.1 | 3.75 |
| HREGMB035 | 1573690 | 4 inch | 9/10/11 | DT10+255* | 7.9 | 4.0 |

Capacity with 20lb Dacron unless * then 30lb Dacron





Sovereign



Sovereign

One of the favourites from Hardy's past, the Sovereign reels were conceived in 1987, remained in production until the late 1990's and offered highly advanced specifications together with maximum reliability. Packed with a powerful drag system and many other performance enhancing features, these new Hardy Sovereign reels are still constructed in Alnwick, England to the same exacting standards as their forebearers. A quote from a past Hardy catalogue that still rings true today is "There's only one word to describe the Sovereign Reel - Magic!"

- Made by Hardy Bros master craftsmen in Alnwick, England
- Self lubricating, disc drag system
- Fast, tool free left or right hand selector lever
- Click or silent mechanism button (outgoing sound only)
- Engineered from bar stock aluminium
- Deep anodized finish
- Supplied in a Hardy neoprene reel pouch

| | Product Code | SAP | Model | Line Size | Capacity (yds) | Weight (oz) | Diameter (in) |
|--------|-----------------|---------|-------|-----------|----------------|-------------|---------------|
| BLACK | HRESOVRN5/6 | 1579385 | 5/6 | 5/6 | WF6+45 | 5.1 | 3.0 |
| | HRESOVRN7/8 | 1579386 | 7/8 | 7/8 | WF8+70 | 5.7 | 3.2 |
| | HRESOVRN8/9 | 1579387 | 8/9 | 8/9 | WF9+125 | 7.9 | 3.5 |
| | HRESOVRN9/10 | 1579388 | 9/10 | 9/10 | WF10+165 * | 8.5 | 3.7 |
| SILVER | HRESOVRNSPT5/6 | 1591470 | 5/6 | 5/6 | WF6+45 | 5.1 | 3.0 |
| | HRESOVRNSPT7/8 | 1591471 | 7/8 | 7/8 | WF8+70 | 5.7 | 3.2 |
| | HRESOVRNSPT8/9 | 1591472 | 8/9 | 8/9 | WF9+125 | 7.9 | 3.5 |
| | HRESOVRNSPT9/10 | 1591473 | 9/10 | 9/10 | WF10+165 * | 8.5 | 3.7 |

Capacity with 20lb Dacron unless * then 30lb Dacron





Hardy Bros Lightweight

The Lightweight series of fly reels has stood the test of time on Trout and Salmon rivers worldwide for over 80 years. The simple, classic and functional design combined with Hardy's traditional quality and high standards of manufacture are sure to make these classic Lightweight reels a firm favourite with fly anglers across the globe.

- Handmade in Alnwick, England
- Precision click check
- High grade 6061 bar stock aluminium construction
- Single screw line guard
- Anodized finish for added durability
- Easily changed from left to right hand wind
- Supplied in a Hardy neoprene reel pouch

Lightweight

| Product Code | SAP | Model | Line Size | Capacity (yds) | Weight (oz) | Diameter (in) |
|--------------|---------|---------------|-----------|----------------|-------------|---------------|
| HRELTWFLY | 1573666 | Flyweight | 2/3 | WF2+33 | 2.9 | 2.55 |
| HRELTWFEA | 1573667 | Featherweight | 3/4 | WF3+33 | 3.6 | 2.87 |
| HRELTWLRH | 1573668 | LRH | 4/5 | WF4+55 | 4.0 | 3.15 |
| HRELTWPRI | 1573679 | Princess | 5/6 | WF5+66 | 4.6 | 3.5 |
| HRELTWAID | 1573680 | St. Aidan | 7/8 | WF7+153* | 5.6 | 3.75 |
| HRELTWAND | 1573681 | St. Andrew | 8/9 | WF9 Spey+219* | 8.0 | 4.13 |

Capacity with 20lb Dacron unless * then 30lb Dacron



MADE IN ENGLAND



Marquis



Marquis® LWT

A remodelled design that takes a classic reel to the next level. The original Hardy Marquis was a favourite of anglers for many decades and this new edition features numerous improvements. Aficionados will notice subtle updating, including an indented regulator button, increased porting, and an improved regulation range. With its bar stock aluminium chassis, the Marquis LWT retains all the appeal of the original while exploiting modern production techniques to the limit.

- Made in Alnwick, England
- Bar stock 6061 construction
- Improved range of adjustment
- Modified porting to reduce weight
- Updated yet classic styling
- Indented regulator button

| Product Code | SAP | Model | Line Size | Capacity (yds) | Weight (oz) | Diameter (in) |
|--------------|---------|--------------|-----------|----------------|-------------|---------------|
| HREMARG010 | 1404247 | 2/3 | 2/3 | WF3+22 | 3.2 | 2.6 |
| HREMARG020 | 1404248 | 4 | 4 | WF4+30 | 3.4 | 2.8 |
| HREMARG030 | 1404249 | 5 | 5 | WF5+40 | 3.8 | 3.1 |
| HREMARG040 | 1404250 | 6 | 6 | WF6+45* | 4.3 | 3.3 |
| HREMARG050 | 1404251 | 7 | 7 | WF7+67* | 4.6 | 3.5 |
| HREMARG060 | 1404252 | Salmon No. 1 | 9/10 | WF10+170* | 8.1 | 3.9 |
| HREMARG070 | 1404253 | Salmon No. 2 | 10/11 | WF11+280* | 9.3 | 4.2 |
| HREMARG080 | 1404254 | Salmon No. 3 | 11/12 | WF12+400* | 9.9 | 4.2 |

Capacity with 20lb Dacron unless * then 30lb Dacron





Fortuna Regent

Designed for use in some of the most demanding conditions around the globe, the Fortuna Regent delivers effortless control, power, and rapid line retrieval when you need it the most. The Fortuna Regent is built around a multi-pad, carbon fiber disc drag system housed within a sealed, waterproof hub design, which offers the highest level of sealing yet seen on a Hardy fly reel. Drag is adjusted via a tensioned regulator that results in positive, linear drag application within a one turn range whilst delivering impressive top end drag. Finally, the large arbour spool delivers exceptional line pick up, and the narrow spool profile ensures easy level stacking of the line during the heat of the battle. Offering flawless reliability on your next saltwater adventure, the Fortuna Regent is a worthy successor to the original Fortuna series.

Fortuna Regent

| | Product Code | SAP | Model | Line Size | Capacity (yds) | Weight (oz) | Diameter (in) |
|--------|--------------|---------|-------|-----------|----------------|-------------|---------------|
| SILVER | HREFTR06 | 1596200 | 6000 | 5/6/7 | WF7+175 | 7.4 | 4.13 |
| | HREFTR08 | 1564808 | 8000 | 7/8/9 | WF9+175 | 8.7 | 4.5 |
| | HREFTR10 | 1564969 | 10000 | 9/10/11 | WF11+200* | 9.9 | 5.13 |
| | HREFTR12 | 1564970 | 12000 | 11+ | WF12+250* | 11.4 | 5.5 |
| BLACK | HREFTR06B | 1596201 | 6000 | 5/6/7 | WF7+175 | 7.4 | 4.13 |
| | HREFTR08B | 1577676 | 8000 | 7/8/9 | WF9+175 | 8.7 | 4.5 |
| | HREFTR10B | 1577677 | 10000 | 9/10/11 | WF11+200* | 9.9 | 5.13 |
| | HREFTR12B | 1577678 | 12000 | 11+ | WF12+250* | 11.4 | 5.5 |

Capacity with 20lb Dacron unless * then 30lb Dacron

- Carbon fiber multi-pad disc drag system
- Sealed, waterproof drag housing
- Large arbour design
- Narrow spool profile
- Positive, linear drag adjustment with defined detents for ease of setting
- Optimum drag window within one turn
- High power drag system delivering between 10lb & 20lb of top end drag (model dependent)
- Supplied in Hardy neoprene reel pouch



Zane Carbon

Designed for the flats angler, the Zane Carbon is a lightweight, large arbour, sealed disc drag reel capable of handling anything that's thrown at it. Perfectly at home taming Bonefish or Sea Trout in its smaller sizes to Permit and Tarpon in the 10,000 and 12,000 sizes. The regulated hard indent drag system allows accurate drag settings to be applied quickly in the heat of battle.

- Barstock 6061 /carbon with non flash salt safe anodized finish
- Fully sealed multi pad disc drag with 10lb+ stopping power
- 340 degree regulated drag control with hard indents for fast accurate adjustments

Zane Carbon

| Product Code | SAP | Model | Line Size | Capacity (yds) | Weight (oz) | Diameter (in) |
|--------------|---------|-------|-----------|----------------|-------------|---------------|
| HREZANCA010 | 1513749 | 6000 | 6/7/8 | WF8+200 | 8.3 | 4.0 |
| HREZANCA020 | 1513750 | 8000 | 8/9/10 | WF9+240* | 8.8 | 4.3 |
| HREZANCA030 | 1513751 | 10000 | 10/11/12 | WF10+240* | 10.5 | 4.6 |
| HREZANCA040 | 1513752 | 12000 | 12+ | WF12+350* | 11.4 | 5.0 |

Capacity with 20lb Dacron unless * then 30lb Dacron



Averon

The core of the Hardy performance reel range, Averon delivers the quality and reliability that are the hallmarks of the Hardy brand. The lightweight yet durable design has been carefully crafted to blend performance, fishability and long-term reliability into a stylish large arbour design.

Size dependent, the reels benefit from both open and closed frame designs. Open frame is utilized on sizes where weight reduction and rapid spool changes are essential, and a closed frame is employed on both the 5000 EN & 9000 models where thin running lines or specialist euro nymph lines may be used.

For over 150 years Hardy has been at the forefront of reel design and this newest addition is built to the same exacting standards and passion for innovation.

- Lightweight high performance disc drag fly reels
- Open frame design (enclosed on 9000 size)
- Silky smooth, enclosed multi pad disc drag system
- Two and a half turn indexed drag for quick and precise adjustments
- Ultra low start up inertia

| | Product Code | SAP | Model | Line Size | Capacity (yds) | Weight (oz) | Diameter (in) |
|----------|--------------|---------|-------|------------|----------------|-------------|---------------|
| TITANIUM | HREAVR30TI | 1618154 | 3000 | 2 / 3 / 4 | WF4+37 | 3.9 | 3.6 |
| | HREAVR50TI | 1618155 | 5000 | 4 / 5 / 6 | WF6+64 | 4.3 | 4.0 |
| | HREAVR70TI | 1618156 | 7000 | 6 / 7 / 8 | WF8+115 | 4.9 | 4.4 |
| | HREAVR90TI | 1618157 | 9000 | 8 / 9 / 10 | WF10+225 * | 6.8 | 4.8 |
| BLACK | HREAVR30BK | 1618158 | 3000 | 2 / 3 / 4 | WF4+37 | 3.9 | 3.6 |
| | HREAVR50BK | 1618159 | 5000 | 4 / 5 / 6 | WF6+64 | 4.3 | 4.0 |
| | HREAVR70BK | 1618160 | 7000 | 6 / 7 / 8 | WF8+115 | 4.9 | 4.4 |

Capacity with 20lb Dacron unless * then 30lb Dacron

Averon




Averon Euro Nymph



Averon Euro Nymph

Designed to meet the exacting standards of today's Euro Nymphing and technical light line river anglers the Averon 5000 EN has been designed with a shallow, narrow profile large arbour spool to facilitate rapid line pick up and neat stacking. Our renowned fine tolerance machining have also been further tightened where possible to optimize for small diameter lines, reduce line slip, and prevent snagging. At the heart of the reel is a simple, secure weighting system that allows fine tuning of the rod/reel balance.

- Super large arbour, narrow spool design
- Full cage frame design
- Silky smooth, enclosed multi pad disc drag system
- Two and a half turn indexed drag for quick and precise adjustments
- Ultra low start up inertia
- Reduced frame tolerances to reduce line escape



- Supplied with 3 optional balance weights (0.6oz, 1.2oz, and 1.8oz) to allow you to optimize in hand balance with longer technical river rods

| Product Code | SAP | Model | Line Size | Capacity (yds) | Weight (oz) | Diameter (in) |
|--------------|---------|-----------|-----------|----------------|-------------|---------------|
| HREAVER50EN | 1618153 | 5000 Euro | 2 / 5 | WF6+23 | 4.6 | 4.0 |

Capacity with 20lb Dacron unless * then 30lb Dacron



Resonate

Renowned world wide for our classic click check reels, the Resonate utilises Hardy's years of experience and on going innovation to produce the finest lightweight performance click reel yet- blending durability, performance, and that classic Hardy sound in a beautiful lightweight package. Our large arbour design is machined from bar stock aluminium and fitted with an innovative adjustable click check system that features all metal load bearing components and a simple, quick left to right conversion. The Resonate is the ideal reel when looking for the lightest most reliable option available for light line styles of fishing.

- Lightweight but durable design
- Enclosed line guard frame
- Adjustable click check mechanism
- Low start up inertia
- Push off spool release
- Simple left/right conversion

Resonate

| Product Code | SAP | Model | Line Size | Capacity (yds) | Weight (oz) | Diameter (in) |
|--------------|---------|-------|-----------|----------------|-------------|---------------|
| HRERESO20 | 1617897 | 2000 | 1/2/3 | WF2+35 | 2.5 | 3.1 |
| HRERESO30 | 1617898 | 3000 | 2/3/4 | WF3+40 | 2.6 | 3.4 |
| HRERESO40 | 1618149 | 4000 | 3/4/5 | WF4+55 | 2.9 | 3.7 |

Capacity with 20lb Dacron



NEW



Averon Cassetta

The Hardy Averon Cassetta Reel builds on the legacy of previous Hardy cassette reels with a completely redesigned frame, while retaining the trusted CLS locking system and compatibility with existing spools. The new frame enhances durability and utilises a practical open-cage design for the 4000–7000 sizes and an enclosed cage for the 9000 size. A robust disc drag system delivers ultra-smooth stopping power, scaled to the reel size, and features a regulator knob that provides precise adjustments with positive detents.

Designed with full compatibility in mind, the Averon Cassetta features spools that are interchangeable with the previous generation (Ultradisc Cassetta / UDC). This ensures seamless versatility, allowing anglers to use UDC spools with the Averon Cassetta and vice versa, making it the ideal choice for anglers carrying multiple lines.

- Bar stock 6061 anodized aluminum frame and spool carrier
- Large arbor spool design
- Cassetta spool fully interchangeable with previous UDC reel
- Secure slide switch cassette locking system
- Supplied with two additional cassette spools
- Supplied with a neoprene reel and spool case

NEW

| Product Code | SAP | Model | Line Size | Capacity (yds) | Weight (oz) | Diameter (in) |
|---------------|---------|-------|-----------|----------------|-------------|---------------|
| HREAVER40CASS | 1632642 | 4000 | 4 / 5 | WF5+50 | 5 | 3.7 |
| HREAVER60CASS | 1632643 | 6000 | 6 / 7 | WF7+50 | 5.4 | 4.1 |
| HREAVER70CASS | 1632644 | 7000 | 7 / 8 | WF8+50 | 5.8 | 4.2 |
| HREAVER90CASS | 1632645 | 9000 | 9 / 11 | WF11+150* | 7.9 | 4.8 |

Capacity with 20lb Dacron unless * then 30lb Dacron



Spools

| Product Code | SAP | Model |
|---------------|---------|-----------------------------|
| HSPLTWFLY | 1573682 | Flyweight |
| HSPLTWFEA | 1573683 | Featherweight |
| HSPLTWLRH | 1573684 | LRH |
| HSPLTWPRI | 1573685 | Princess |
| HSPLTWAID | 1573686 | St. Aidan |
| HSPLTWAND | 1573687 | St. Andrew |
| HSPMAR010 | 1404255 | Marquis LWT 2/3 |
| HSPMAR020 | 1404256 | Marquis LWT 4 |
| HSPMAR030 | 1404257 | Marquis LWT 5 |
| HSPMAR040 | 1404258 | Marquis LWT 6 |
| HSPMAR050 | 1404259 | Marquis LWT 7 |
| HSPMAR060 | 1404260 | Marquis LWT Sal 1 |
| HSPMAR070 | 1404261 | Marquis LWT Sal 2 |
| HSPMAR080 | 1404262 | Marquis LWT Sal 3 |
| HSPZANCA015 | 1513753 | Zane Carbon 6/7/8 |
| HSPZANCA025 | 1513754 | Zane Carbon 8/9/10 |
| HSPZANCA035 | 1513755 | Zane Carbon 10/11/12 |
| HSPZANCA045 | 1513756 | Zane Carbon 12+ |
| HSPFTR06 | 1596202 | Fortuna Regent 6000 Silver |
| HSPFTR08 | 1564971 | Fortuna Regent 8000 Silver |
| HSPFTR10 | 1564972 | Fortuna Regent 10000 Silver |
| HSPFTR12 | 1564973 | Fortuna Regent 12000 Silver |
| HSPFTR06B | 1596203 | Fortuna Regent 6000 Black |
| HSPFTR08B | 1578169 | Fortuna Regent 8000 Black |
| HSPFTR10B | 1578170 | Fortuna Regent 10000 Black |
| HSPFTR12B | 1578171 | Fortuna Regent 12000 Black |
| HSPAVER30BK | 1618165 | AVERON 3000 Black |
| HSPAVER30TI | 1618161 | AVERON 3000 Titanium |
| HSPAVER50BK | 1618166 | AVERON 5000 Black |
| HSPAVER50TI | 1618162 | AVERON 5000 Titanium |
| HSPAVER70BK | 1618167 | AVERON 7000 Black |
| HSPAVER70TI | 1618163 | AVERON 7000 Titanium |
| HSPAVER90TI | 1618164 | AVERON 9000 Titanium |
| HSPAVER40CASS | 1632646 | Averon Cassette 4000 4/5 |
| HSPAVER60CASS | 1632647 | Averon Cassette 6000 6/7 |
| HSPAVER70CASS | 1632648 | Averon Cassette 7000 7/8 |
| HSPAVER90CASS | 1633049 | Averon Cassette 9000 9/11 |
| HSPRESO20 | 1618150 | RESONATE 2000 |
| HSPRESO30 | 1618151 | RESONATE 3000 |
| HSPRESO40 | 1618152 | RESONATE 4000 |



DESIGNED & DEVELOPED BY HARDY ENGINEERS



Flexfit 110 Wordmark Trucker Hat

5 panel trucker is a perfect blend of Flexfit® Technology and adjustability. This trucker cap is designed to provide a fit that is tuned to you and offers a great design.



| Product Code | SAP | Colour |
|----------------------|---------|--------|
| HATHARDYFLEXTRUCKOLI | 1625006 | Olive |

Tech Hats

Made from premium supplex nylon, our tech hats offers UV protection for those sunny beach days and stain resistance to perform on the water. The mini hook and loop back closure ensures a custom fit, while the quick-drying and breathable fabric keeps you cool on the water.



| Product Code | SAP | Style | Colour |
|----------------------|---------|------------|-----------|
| HATHARDY6PTECHSATINB | 1625004 | Marksman Z | Gulf Blue |
| HATHARDYFLEXTRUCKOLI | 1625005 | Marksman | Bronze |



Caps

Subtly styled, classic fishing caps available in brushed cotton twill with antique brass fittings, or in a trucker style with washed cotton twill and mesh back.

| Product Code | SAP | Style | Colour |
|--------------|---------|--------------|---------------|
| HCLOC010 | 1371691 | Logo Classic | Pumpkin/Olive |
| HCL0T010 | 1371697 | Logo Trucker | Khaki/Black |





Reel Cases

Protect your fly reel on or off the rod with this neoprene case. Great for field use with modern and classic reels alike.

| Product Code | SAP | Size | Suitability |
|--------------|---------|--------|-------------------------------|
| HACNRCS | 1564974 | Small | For reel diameter up to 3.5in |
| HACNRCM | 1564975 | Medium | For reel diameter up to 4.3in |
| HACNRCL | 1564976 | Large | For reel diameter up to 5.1in |



Customer Service

Since 1872 Hardy has prided itself on supplying quality fishing tackle, and we are delighted that you have chosen to be a Hardy customer. Should you need any assistance, please see our website or contact one of our customer service departments below.

As an owner of a Hardy fly rod or fly reel, you are entitled to take part in the Hardy Product Warranty and Repair Service. To do so, we ask that you register your product at **register.hardyfishing.com**

The Hardy Product Warranty and Repair Service is in addition to and does not affect or reduce the owner's statutory rights which cover against manufacturing faults and mis-described goods during the statutory period. Please ensure you retain proof of purchase as this will be requested upon making a claim under your statutory rights.

Have a question? Need a product? Want a problem solved? We're here to help.
You can contact us via our website, or by phone or mail at the location listed below.

North America

Hardy Customer Service
7 Science Ct.
Columbia, SC 29203
USA

Email: hardy@purefishing.com
Tel: (888) 516-1247

Europe

Customer Services Department
Pure Fishing (UK) Ltd.
2 Silvertown Court, Cramlington
Northumberland NE23 7RY
UK

Email: pfsalesuk@purefishing.com
Email: uktradesales@purefishing.com
Tel: +44 (0)1665 602771 (option 2)



THE HARDY STORE & MUSEUM

HARDY



North America

Pure Fishing, Inc., 7 Science Court, Columbia, SC 29203
Tel: +1 (888) 516-1247

.....
United Kingdom

Pure Fishing (UK) Ltd., 2 Silverton Court,
Northumberland Business Park, Cramlington, NE23 7RY
Tel: +44 (0)1665 602771

European Union

Pure Fishing BV., Tinstraat 3, 4823 AA Breda, The Netherlands

www.hardyfishing.com

